

Quiz 3

This quiz is graded out of 10 marks. No books, calculators, notes or cell phones are allowed. You must show all your work, the correct answer is worth 1 mark the remaining marks are given for the work. If you need more space for your answer use the back of the page.

Question 1. §1.3 #15 (4 marks) Find all values of k , if any, that satisfy the equation.

$$\begin{bmatrix} k & 1 & 1 \end{bmatrix} \begin{bmatrix} 1 & 1 & 0 \\ 1 & 0 & 2 \\ 0 & 2 & -3 \end{bmatrix} \begin{bmatrix} k \\ 1 \\ 1 \end{bmatrix} = 0$$

Question 2. §1.3 #30b (2 marks) Let 0 denote a 2×2 matrix, each of whose entries is zero. Is there a 2×2 matrix A such that $A \neq 0$ and $AA = A$? Justify your answer.

Question 3. §1.3 #TF (2 marks) Determine whether the statement is true or false, and justify your answer.
For every square matrix A , it is true that $\text{tr}(A^T) = \text{tr}(A)$.

Question 4. §1.3 #TF (2 marks) Determine whether the statement is true or false, and justify your answer.
If A is an $n \times n$ matrix and c is a scalar, then $\text{tr}(cA) = c\text{tr}(A)$.